

Compost Protection Fleece

TopTex Compost Protection Fleece

An important tool for optimal composting

- TopTex maintains optimal moisture conditions
- TopTex ensures proper aerobic decomposition
- TopTex minimizes leachate and nutrient losses

Controlled humus building through composting of organic wastes

Composting is the conversion of organic wastes into high-quality humus. Through systematic controls these materials can be returned to the earth, completing the cycles of nature and improving the soil to which it is applied.

The Controlled Microbial Composting (CMC) method helps to restore the fertility and buffering capacity of agricultural soils.

To achieve this goal, strict guidelines and controls must be followed. This includes the proper selection of the feedstocks, regular turning of the piles for aeration, and proper guidance of the decomposition process.

Therefore, several parameters such as temperature, oxygen levels, CO levels, pH value, sulfide, nitrite, nitrate, and ammonium must be continuously monitored, and if necessary adjusted.

Temperature:	max. 65°C
Moisture:	55 - 60%
CO ₂ Content:	max. 20%
Oxygen Level:	> 5%
pH Value:	< 8
Nitrate (NO ₂):	non detectable
Nitrate (NO ₃):	
winter:	< 100ppm
summer:	< 300ppm

Flexible Lining Products is a trading style of Greentech Ltd.

Rabbit Hill Business Park, Great North Road, Arkendale, Knaresborough HG5 0FF

UK. Tel: +44 (0)1423 332100

Fax: +44 (0)1423 332101

Email: sales@green-tech.co.uk

Web: www.green-tech.co.uk

FLP endeavour to ensure that the information given on this technical data sheets is accurate, but accept no liability for its use or suitability for particular application.

Compost Protection Fleece

An important tool for optimal composting

- **TopTex maintains** optimal moisture conditions

TopTex diverts rainfall away from the surface and protects from drying by sun and wind.

- **TopTex ensures** proper aerobic decomposition

TopTex allows the necessary gas exchange and ensures more optimal temperatures throughout the outer layers of the piles.

- **TopTex minimizes** leachate and nutrient losses

TopTex diverts rainfall away from the windrows and therefore minimizes the incidence of leachate.


TopTex - highest compost quality

Scientific research

Numerous scientific studies have shown the positive influence of TopTex compost cover fleece on the quality of the finished compost (IGM Engineering Association of Witzhausen; Technical University Vienna, Institute for Water Quality and Waste Management; University for Soil Science, Vienna; and many others).

TopTex Compost Protection Fleece used for covering mature compost:

Many experienced users use TopTex Compost Protection Fleece for covering their most valuable product: the mature compost! This is an economic solution and easy to handle. The fleece allows exchange of gases, protects against moisture, keeps the compost dry and in a crumble structure. It also protects efficiently against the growth of all kinds of weeds. This method allows an effective and economic open air storage of mature compost.



Temperature in test windrows

Flexible Lining Products is a trading style of Greentech Ltd.

Rabbit Hill Business Park, Great North Road, Arkendale, Knaresborough HG5 0FF

UK. Tel: +44 (0)1423 332100

Fax: +44 (0)1423 332101

Email: sales@green-tech.co.uk

Web: www.green-tech.co.uk

FLP endeavour to ensure that the information given on this technical data sheets is accurate, but accept no liability for its use or suitability for particular application.

TopTex Compost Protection Fleece for the storage of raw manure:

Use TopTex compost protection fleece for the storage of raw manure as well. Scientific studies show that nutrient losses can be reduced significantly with TopTex Compost Protection Fleece. Government guidelines and best management practices recommend the covering of stacked manure which is stored outside (e.g. in accordance to the LGW 1992 from 12/95, Austria).

Over a decade of experience in applications world-wide TopTex compost protection fleece has proven itself in compost sites around the world, and belongs to today's standards of modern composting technology. Many windrow turners are now serially equipped with fleece rolling devices.

Product Description

TopTex is a gas-permeable fleece composed of endless 100% polypropylene fibres.

TopTex is ...

- ...environmentally compatible (certified inert)
- ...recyclable
- ...chemically stable against acid and alkali (pH 2 - 13)
- ...biologically stable against microbial decay and leachate (VOA & VOC)
- ...freeze/thaw tolerate
- ...UV resistant through special UV stabilisation

Usage Recommendations

TopTex is durable under normal middle European climatic conditions for a minimum of 3 to 5 years*. The lifespan is extended if TopTex is protected from UV radiation when not in use.

Statements on the lifespan are based on experience of the manufacturer and multi-year climate data of Austria. Extreme solar radiation can impair the lifespan of the product.

Technical Data

Weight:	200 g/m ² (approx. 6 oz/yd ²)
Tensile strength:	12,5 kN/m (= approx. 1,2 to/m)
Roll length:	50 m (approx. 164 ft)
Roll width:	4 m (approx. 13 ft) or 5 m (approx. 16.4 ft)
Roll weight:	approx. 40 kg (88 lbs) or 50 kg (110 lbs)

Flexible Lining Products is a trading style of Greentech Ltd.

Rabbit Hill Business Park, Great North Road, Arkendale, Knaresborough HG5 0FF

UK. Tel: +44 (0)1423 332100

Fax: +44 (0)1423 332101

Email: sales@green-tech.co.uk

Web: www.green-tech.co.uk

FLP endeavour to ensure that the information given on this technical data sheets is accurate, but accept no liability for its use or suitability for particular application.